



**YUYANG INDUSTRIAL CO., LIMITED**

China Manufacturer of Fire Testing Equipment

## High Speed Furniture Foam Dynamic Repeated Indentation Fatigue Testing

Machine 0 ~ 50mm





•



•



•



- **Product Details:**

- Place of Origin: **China**
- Brand Name: **YUYANG**
- Certification: **GB/T 18941 GB/T 12825 and ISO 3385**

- Model Number: **YYJ-022**
- **Payment & Shipping Terms:**
- Minimum Order Quantity: **1 set**
- Price: **Negotiation**
- Packaging Details: **Wooden Case**
- Delivery Time: **20-25 days**
- Payment Terms: **T/T L/C Western Union**
- Supply Ability: **50 set/Month**
- Share to :

## **70±5 r/min Furniture Foam Dynamic Repeated Indentation Fatigue Testing Machine 0~50mm**

### **Equipment description:**

This tester is used to test the reduction of thickness and hardness values of porous elastic material that is used for interior decoration. Put a square specimen into the tester. Sunk into the sample repeatedly with a smaller pressure head. Each impact has reach the max load within the prescribed scope at the same time. After a certain number, evaluate the performance of the sample.

### **Technical Parameters:**

Test speed: 70±5 r/min

Test Cycles: 80 000

Upper Platen Dia:Φ250mm, Lower edge border-radius:R25mm

Lower plate 420mm\*420mm,

Air hole diameter: 6.5mm; Hole center gap: 20mm;

Travel: 0~50mm

Sample load: 750±20N

Specimen size: (380±20)mmx(380±20)mmx(50±2)mm

Timer: 0~999 999

Size(WxDxH): 64x52x70cm

Weight: approx 70Kg

Power: 1 $\phi$  AC 220V 50Hz 3A

**Standard:**

GB/T 18941, GB/T 12825 and ISO 3385

Test speed:	70 $\pm$ 5 r/min
Test Cycles:	80 000
Upper Platen Dia:	$\Phi$ 250mm, Lower edge border-radius:R25mm
Lower plate	420mm*420mm
Air hole diameter:	6.5mm; Hole center gap: 20mm
Travel:	0~50mm
Sample load:	750 $\pm$ 20N
Specimen size:	(380 $\pm$ 20)mmx(380 $\pm$ 20)mmx(50 $\pm$ 2)mm
Timer:	0~999 999
Size(WxDxH):	64x52x70cm
Weight:	approx 70Kg
Power:	1 $\phi$ AC 220V 50Hz 3A



