

Vacuum Sealing Machine For Pouch Cell Final Sealing



TOB-BFZ200 Battery vacuum sealing machine is mainly used for soft packaging (medium and small specification) lithium polymer battery/pouch cell vacuum sealing after battery formation.

- Item No.:TOB-BFZ-200
- Order(Moq):1set
- Payment:L/C,T/T,Western Union, Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7days

Product Detail

Vacuum Sealing Machine Used For Pouch Cell Final Sealing After Formation With Auto Needle Function

SPECIFICATIONS

1 TOB-BFZ200 Battery vacuum sealing machine is mainly used for soft packaging (medium and small specification) lithium polymer battery/pouch cell vacuum sealing after battery formation.

2 The vacuum sealing machine is a battery heat sealer machine, with sealing Temperature from RT to 250°C adjustable.

3 The machine is with auto needle function, so it can prick the battery and vacuum the air in battery then vacuum the battery.

Model	Vacuum Sealing Machine TOB-BFZ-200
Source voltage	AC 220V/110V, 50/60HZ
Power	50W
Warranty	One year limited warranty with lifetime support
Advantages	1 Sealing Head adopts copper material, good heat transfer effect, 2 With automatic needle function, waste liquid recycling equipment. 3 Can apply to different specifications battery, and the adjusting easily
Vacuum degree	-90Kpa - 0
Sealing head TEM	RT-250°C, adjustable
TEM accuracy	±1.5°C
Sealing pressure	0-7Kg/cm ² , adjustable
Sealing time	0-99s, adjustable
Sealing width	5mm, customized
Sealing head length	200mm
Air source	0.5-0.7MPa (72.5-102psi)
Dimension(L*W*H)	600*500*1700mm
Weight	About 200kg

PRODUCT DISPLAY



Vacuum sealing machine sealing head



Touch screen control for vacuum sealing machine

